

S27	29	(microcode adj processor) and microinstruction	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/05 20:17
S28	0	("5914724.pn.").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/27 13:06
S29	0	("5914724.pn.").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/27 13:07
S30	0	("5914724.pn.").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/27 13:08
S31	2	"5914724".pn.	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/27 15:50
S32	1140	(validating or optimizing) with functions	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/27 13:20
S33	16	S32 and "345"/\$.ccls.	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/27 13:20
S34	2	"6424623".pn.	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/27 15:51
S35	2	"6424343".pn.	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/30 15:24
S36	2	"5914724".pn.	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/29 16:32
S37	1905	microcode same routine\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/29 15:52

S38	56428	different same version\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/29 15:53
S39	15	S37 same S38	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/29 15:55
S40	10417	fast\$3 same version\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/29 15:55
S41	3	S37 same S40	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/29 15:56
S42	311	different same microcod\$3 same routine\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/29 15:56
S43	374188	version\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/29 15:56
S44	15	S42 same S43	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/29 15:58
S45	13092	microcod\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/29 15:58
S46	63	S38 same S45	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/29 16:02
S47	1077	fast\$2 same version same function\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/29 16:02

S48	12138	microcode	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/29 16:03
S49	4	S47 same S48	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/29 16:23
S50	46	345/501.ccls. and microcod\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/29 16:24
S51	52	345/501.ccls. and microcod\$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/29 16:24
S52	1	(microcode same manag\$5 same version).clm.	US-PGPUB	OR	OFF	2005/09/29 16:33
S53	20	(microcode same manag\$5 same version)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/29 16:35
S54	1	(microcode same manag\$5 same version).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/29 16:35
S55	1	(microcode same manag\$5 same version).clm.	US-PGPUB	OR	OFF	2005/09/29 16:36
S56	11	(microcode same manag\$5).clm.	US-PGPUB	OR	OFF	2005/09/29 16:36
S57	2	(microcode same optimiz\$5).clm.	US-PGPUB	OR	OFF	2005/09/29 16:39
S58	5	(microcode same (optimiz\$5 or validat\$3)).clm.	US-PGPUB	OR	OFF	2005/09/29 16:40
S59	9	(microcode same ((optimiz\$5 or validat\$3) or version\$1)).clm.	US-PGPUB	OR	OFF	2005/09/29 16:40
S60	2	"5398321".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/30 14:22
S61	140	merg\$3 same microcod\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/30 14:22

S62	0	("(64426756266765539832161831416 0473685598546).pn.").PN.	USPAT; USOCR	OR	OFF	2005/10/17 12:44
S63	12	("6442675" "6266765" "5398321" "6183141" "6047368" "5598546").pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/17 16:33
S64	632	712/245.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/17 16:33
S65	46	712/245.ccls. and merg\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/17 16:33